

पुस्तिकामा समाविष्ट सामाग्रीहरु

क्र.सं.	विवरण	पृष्ठ
१.	चौथो तथा पाँचौ वार्षिक साधारण सभा सम्बन्धी सूचना	२
२.	वार्षिक साधारण सभा सम्बन्धी समान्य जानकारीहरु	३
३.	प्रोक्सी फाराम तथा प्रवेश-पत्र	५
४.	अध्यक्षको मन्तव्य	६
५.	सञ्चालक समितिको वार्षिक प्रतिवेदन '	८
६.	लेखापरीक्षकको प्रतिवेदन	१४
७.	वासलात '	१८
८.	नाफा नोक्सान हिसाब	१९
९.	नगद प्रवाह विवरण	२०
१०.	इक्विटीमा भएको परिवर्तन सम्बन्धी विवरण	२१
११.	प्रमुख लेखा निति, लेखासँग सम्बन्धीत टिप्पणीहरु तथा अनुसूचीहरु	२२



पाँचथर पावर कम्पनि लिमिटेड Panchthar Power Company Limited

हात्तिवन ललितपुर, फोन नं. ०१-५२५१००३, ०१-५२५१००४

Email : ppchewa@gmail.com, website: www.ppcl.com.np

साधारण सभा सम्बन्धी थप सामान्य जानकारी

चौथो तथा पाँचौ बार्षिक साधारण सभा वस्ने वारेको सुचना

प्रथम पटक प्रकाशित मिति: २०७७/११/०१

श्री आदरणीय शेयरधनि महानुभावहरु,
यस पाँचथर पावर कम्पनि लिमिटेडको मिति २०७७।
१०।२५ मा वसेको सञ्चालक समितिको बैठकको
निर्णय अनुसार निम्न विषयहरु उपर छलफल तथा निर्णय गर्न भिडियो कन्फरेन्स अर्थात भर्चुअल माध्यम वाट निम्न
मिति स्थान र समयमा कम्पनिको चौथो तथा पाँचौबार्षिक साधारण सभा सम्युक्त रुपमा वस्ने भएकोले सम्पूर्ण शेयरधनि
महानुभावहरुको जानकारीको लागि कम्पनि ऐन २०६३को दफा ६७(२) बमोजिम यो सुचना प्रकाशित गरिएको छ।

सभा हुने स्थान मिति र समय

मिति: २०७७ साल फाल्गुण २४ गते (तदनुसार सन ८ मार्च २०२१ सोमवार)।

समय: दिनको ११.०० बजे

स्थान: होटल इम्पेरीयल काठमाण्डौ, बत्तिसपुतली, र भर्चुअल माध्यम (ZOOM APP) मार्फत
एकसाथ सभा सञ्चालन हुनेछ।

(वर्तमान कोभिड-१९ को महाव्याधिको संक्रमण रोकथाम तथा नियन्त्रणका लागि नेपाल सरकारबाट जारी गरिएका स्वास्थ्य
सुरक्षा सम्बन्धी निर्देशन तथा मापदण्डको सम्मान एवं परिपालना गर्दै सभा सम्पन्न गर्नुपर्ने विशेष परिस्थितिका कारण
तोकिएको संख्यामा मात्र शेयरधनीहरु सभास्थलमा उपस्थित हुन सक्ने भएकोले शेयरधनी महानुभावहरुको उपस्थितिका लागि
भर्चुअल माध्यमको व्यवस्था गरिएको छ।)

छलफलका बिषयहरु:

१. अध्यक्षज्यूको मन्तव्य तथा चौथो र पाँचौ बार्षिक साधारण सभाको लागि सञ्चालक समितिको तर्फबाट प्रस्तुत बार्षिक प्रतिवेदन उपर छलफल गरी पारित गर्ने बारे।
२. लेखापरीक्षकद्वारा प्रस्तुत आ. व. २०७५/०७६ र २०७६/०७७ को लेखा परीक्षण प्रतिवेदन सहितको आय व्यय विवरण र वासलात माथि छलफल गरि पारित गर्ने बारे।
३. चालुआ.व. २०७७/०७८ को लागि लेखापरीक्षकको नियुक्ति र पारिश्रमिक तोक्ने। (कम्पनी ऐन, २०६३ को दफा १११(३) बमोजिम वर्तमान लेखापरीक्षक संस्था पि.वाई.सि. एण्ड एसोसिएट्स पुनः नियुक्तिका लागि योग्यरहेको।)
४. कम्पनिको नियमावली को नियम २७ अनुसार सस्थापक समुह वाट ६ जना सञ्चालक तथा सर्वसाधारण समुह वाट २ जना सञ्चालकहरुको निर्वाचन /मनोनयन गर्ने बारे।
५. सञ्चालक समितिको सुविधा तथा बैठक भत्ता तोक्ने बारे।
६. विविध।

सञ्चालक समितिको आज्ञाले,
कम्पनी सचिव

- १) बर्षिक साधारण सभा प्रयोजनका लागि मिति २०७७/११/११ गते एक दिन कम्पनिको शेयर धनि दर्ता किताव बन्द गरिनेछ। नेपाल स्टक एक्सचेन्ज लिमिटेडमा मिति २०७७/११/१० गते सम्म कारोवार भइ शेयर खरिद गरि आफ्नो नाममा शेयर नामसारी भई आएका शेयरधनिहरु सो सभामा भाग लिनका लागि योग्य हुनेछन।
- २) भर्चुअल माध्यमबाट सभामा भाग लिन चाहने शेयरधनी महानुभावहरुले फोन नं. ०१-५२५१००३, ०१-५२५२००४ मा वा कम्पनीको आधिकारिक ईमेल: ppchewa@gmail.com मा सम्पर्क गरी साधारण सभा शुरु हुनु भन्दा कम्तीमा २४ घण्टा अगावै आफ्नो नाम इमेल ठेगाना टिपाउनु पर्नेछ। भर्चुअल माध्यम मार्फत उपस्थित हुने शेयर धनी महानुभावहरुलाई Meeting ID / Passcode उपलब्ध गराई सभामा सहभागि हुने व्यवस्था मिलाईनेछ।
- ३) वर्तमान कोभिड-१९ को महाव्याधि नियन्त्रणका सम्बन्धमा नेपाल सरकारले तोकेको सिमा भन्दा बढी व्यक्ति भेला हुन नपाइने हुनाले भर्चुअल माध्यमबाट उपस्थित शेयरधनीलाई सभास्थलमा उपस्थित भए सरह मान्यता दिई सभा सञ्चालन गरिनेछ र यसरी उपस्थित शेयरधनीहरुको हाजिरीका लागि निजहरु Login भएको देखिने गरी प्रमाणको निमित्त फोटो खिचेर राखिने र सभा सञ्चालन अवधिभरको भिडियो रेकर्डिङ्ग गरिनेछ।
- ४) अनलाईन (भर्चुअल) माध्यमबाट सभामा सहभागी हुन तथा आफ्नो मन्तव्य राख्न सकिने व्यवस्था मिलाइएको हुँदा कोरोना भइरस (कोभिड-१९) को संक्रमणबाट बच्न र बचाउन यथासक्य अनलाईन (भर्चुअल) माध्यमबाट उपस्थित भईदिनु हुन शेयरधनी महानुभावहरुलाई अनुरोध गर्दछौं।
- ५) सभा शुरु हुनु भन्दा एक घण्टा अगाडीबाट भर्चुअल माध्यम खुल्ला गरिनेछ। उक्त एक घण्टाको समय भित्र सभामा सहभागि हुनेशेयरधनीहरुले दिईएको Meeting ID र Passcode को माध्यमबाट Login गरी आफ्नो परिचय सहित उपस्थितिको जानकारी सभालाई दिनु पर्नेछ
- ६) वार्षिक साधारण सभामा भौतिक रुपमा उपस्थित भई भाग लिन इच्छुक शेयरधनी महानुभावहरुको सुविधाको लागि हाजिरी पुस्तिका सभास्थलमा सभा हुने दिन विहान १० बजे देखि सभा सञ्चालन रहेसम्म खुल्ला रहनेछ। कोभिड-१९ को संक्रमणको जोखिमका कारण सभास्थलमा उपस्थित हुँदा २ मिटरको सामाजिक दुरी कायम हुने गरी हाजिरी, मतदान तथा सभा स्थलमा बस्ने व्यवस्था कायम गरिएको हुँदा भाईरस संक्रमणबाट बच्न, बचाउनका लागि आवश्यक पर्ने माक्स, पन्जा लगायतका न्यूनतम सुरक्षाका उपकरणहरु प्रयोग गर्न हुन अनुरोध छ।
- ७) भर्चुअल माध्यमबाट आफ्नो राय, सुझाव वा मन्तव्य राख्न चाहनु हुने शेयरधनी महानुभावहरुले सभा शुरु हुनु भन्दा कम्तीमा ४८ घण्टा अगावै कम्पनीको फोन नं. ०१-५२५२००३, ०१-५२५१००४ मा वा कम्पनीको आधिकारिक ईमेल: ppchewa@gmail.com मा सम्पर्क गरी नाम टिपाउन हुन अनुरोध गर्दछौं। सभामा आफ्नो लिखित राय,सुझाव राख्न चाहनु हुने शेयरधनी महानुभावहरुले उक्त राय सुझाव कम्पनीको इमेल ठेगानामा पठाउन सक्नु हुनेछ।
- ८) वार्षिक साधारण सभामा भाग लिन आउनु हुने शेयरधनी महानुभावहरुले आफ्नो परिचय खुल्ने प्रमाण कागज तथा हितग्राही खाता खोलि शेयर अभौतिकिकरण गरिएको विवरण देखिने म्भ्व् ब्यअयगलत क्तवतभभलत वा शेयर प्रमाणपत्र साथमा लिई आउनु हुन अनुरोध छ, अन्यथा सभाकक्ष भित्र प्रवेश गर्न पाइने छैन। कम्पनीको वार्षिक प्रतिवेदन कम्पनीको प्रधान कार्यालयबाट तथा साधारण सभाका दिन सभाहलबाट र कम्पनिको वेवसाईट वाट समेत प्राप्त गर्न सकिनेछ।
- ९) सञ्चालक निर्वाचनको विस्तृत कार्यक्रम निर्वाचन अधिकृतको कार्यालय (यस कम्पनीको प्रधान कार्यालय) हात्तिवन ललितपुरमा प्रकाशित हुने भएकोले त्यस सम्बन्धमा थप जानकारी राख्न ईच्छुक शेयरधनी तथा उम्मेदवारले कार्यालय समय भित्र सम्पर्क राख्नुहुन अनुरोध गर्दछौं।
- १०) सभामा आफु उपस्थित नभई प्रतिनिधि नियुक्त गर्न चाहने शेयरधनी महानुभावहरुले सभा शुरु हुने समय भन्दा कम्तीमा ४८ घण्टा अगावै यस कम्पनीको रजिष्टर्ड कार्यालयमा प्रोक्सी फारम दर्ता गरिसक्नु पर्नेछ। सभामा भाग लिन र मतदान गर्नका लागि प्रतिनिधि नियुक्त गरिसकेपछि उक्त प्रतिनिधि बदर गरी अर्कै मुकरर गर्ने भएमा सोको लिखित सूचना सोही अवधि भित्र कम्पनीको रजिष्टर्ड कार्यालयमा दर्ता गरिसक्नु पर्नेछ। यसरी प्रतिनिधि (प्रोक्सी) नियुक्त गरिएको

व्यक्ति समेत कम्पनीको शेयरधनी हुनु पर्नेछ । तर प्रतिनिधि नियुक्त गर्नु भएका शेयरधनी आफै उपस्थित भई हाजिरी पुस्तिकामा दस्तखत गरेमा प्रतिनिधिपत्र स्वतः बन्द हुनेछ ।

- ११) संरक्षक रहनु भएका शेयरधनी महानुभावहरूका तर्फबाट कम्पनीको शेयर लगत किताबमा संरक्षकको रुपमा नाम दर्ता भएको व्यक्तिले, संयुक्त रुपमा शेयर खरीद गरिएको अवस्थामा शेयर लगत किताबमा पहिले नाम उल्लेख भएको व्यक्ति अथवा सर्वसम्मतिबाट प्रतिनिधि नियुक्त गरिएको एक व्यक्तिले र कुनै संगठित संस्था वा कम्पनीले शेयर खरिद गरेको हकमा त्यस्ता संगठित संस्था वा कम्पनीले मनोनित गरेको प्रतिनिधिले शेयरधनीको हैसियतले सभामा भाग लिन र मतदान गर्न सक्नु हुनेछ ।
- १२) एक भन्दा बढी व्यक्तिहरूको संयुक्त नाममा शेयर दर्ता गरेको अवस्थामा सर्वसम्मतिबाट प्रतिनिधि चयन गरिएको एक जनताले मात्र वा लगत किताबमा पहिलो नाम उल्लेख भएको व्यक्तिले सभामा भाग लिन सकिनेछ । कुनै संगठित संस्था वा कम्पनीले शेयर खरिद गरेको हकमा त्यस्ता संगठित संस्था वा कम्पनीले मनोनित गरेको प्रतिनिधिले शेयर बालको हैसियतले सभामा भाग लिन सक्नुहुनेछ ।
- १३) सञ्चालक पदमा उम्मेदवार हुन चाहने शेयरधनीले तल दफा १४ र १५ मा उल्लेख भए बमोजिम कम्पनीको प्रधान कार्यालय, हातिवन, ललितपुरमा प्रकाशित निर्वाचन सम्बन्धी कार्यक्रमको सूचनामा उल्लेखित मितिमा निर्धारित समय भित्र कम्पनीको शेयरधनी प्रस्तावक र अर्को एक जना शेयरधनी समर्थक सहित तोकिएको ढाँचा बमोजिम आफ्नो उम्मेदवारको दरखास्त दर्ता गर्नु पर्नेछ । उम्मेदवारीबाट आफ्नो नाम फिर्ता लिन चाहेमा समेत सोहि निर्वाचन सम्बन्धी कार्यक्रम बमोजिम आफ्नो नाम फिर्ता लिन दरखास्त दर्ता गर्नुपर्नेछ । सञ्चालक पदमा उम्मेदवारी दिने शेयरधनी अन्य उम्मेदवारको प्रस्तावक वा समर्थक हुन सक्ने छैन ।
- १४) सञ्चालक पदको निर्वाचनमा उम्मेदवार हुने शेयरधनीले कम्पनीको नियमावली बमोजिम आवश्यक शेयर लिई प्रचलित कानून बमोजिम सञ्चालक हुने योग्य रहेको हुनुपर्दछ ।
- १५) यस कम्पनीको सञ्चालक निर्वाचन निर्देशिका शेयरधनीहरूले यस कम्पनीको प्रधान कार्यालय, हातिवन, ललितपुर बाट प्राप्त गर्न सक्नुहुनेछ । निर्वाचन सम्बन्धी अन्य जानकारी तथा कार्यक्रम सम्बन्धी सूचना कम्पनीको प्रधान कार्यालयको सूचना पाटीमा टाँसने छ ।
- १६) कुनै शेयरधनी महानुभावले छलफलका विषयहरूमध्ये विविध शिर्षक अन्तर्गत कम्पनी सम्बन्धी कुनै विषयमा छलफल गर्न गराउन चाहेमा सभा हुन भन्दा सात दिन अगावै कम्पनी सचिव मार्फत सञ्चालक समितिको अध्यक्ष लाई लिखित रुपमा प्रस्ताव दिनु पर्नेछ । तर त्यस्तो प्रस्ताव साधारण सभामा छलफल वा पारितको रुपमा समावेश गर्ने वा नगर्ने अधिकार सञ्चालक समितिको अध्यक्षमा निहित हुने छ ।
- १७) वार्षिक साधारण सभा सम्बन्धी थप जानकारी आवश्यक परेमा कार्यालय समय भित्र कम्पनी रजिष्टर्ड कार्यालय, हातिवन, ललितपुरमा सम्पर्क राख्न अनुरोध गरिन्छ । थप जानकारी कम्पनीको वेब साइट www.ppcl.com.np बाट प्राप्त गर्न सक्नु हुनेछ ।

पाँचथर पावर कम्पनी लिमिटेड हातिवन, ललितपुर

प्रतिनिधि नियुक्ति फारम

श्री सञ्चालक समिति,
पाँचथर पावर कम्पनी लिमिटेड
हातिवन, ललितपुर

विषय : प्रतिनिधि नियुक्ति गरिएको बारे ।

महाशय,

..... जिल्ला न.पा./गा.वि.स. वडा नं. बस्ने म/हामी
..... ले त्यस संस्थाको शेयरधनीको हैसियतले मिति २०७७ साल फाल्गुण २४ गते सोमवार
का दिन हुने चौथो तथा पाँचौ वार्षिक साधारण सभामा स्वयं उपस्थिति भई छलफल तथा निर्णयमा सहभागी हुन नसक्ने
भएकाले उक्त सभामा भाग लिन तथा मतदान गर्नका लागि मेरो/हाम्रो प्रतिनिधित्व गरि भाग लिन
जिल्ला न.पा./गा.वि.स. बस्ने त्यस संस्थाका शेयरधनी श्री..... शेयर
धनी/हितग्राही परिचय नं. लाई मेरो /हाम्रो प्रतिनिधित्व मनोनयन गरी पठाएको छु/छौ ।

प्रतिनिधि हुनेको

नाम :

दस्तखत :

शेयरधनी नं. :

शेयर संख्या :

मिति :

प्रतिनिधि नियुक्त गर्ने शेयरधनिको

नाम :

दस्तखत :

शेयरधनी नं. :

शेयर संख्या :

मिति :

प्रवेश- पत्र

शेयरधनीको नाम :

प्रमाण पत्र नं. :

कुल शेयर संख्या :

शेयरधनीको सही :

.....
कम्पनी सचिव

(सभा कक्षमा प्रवेश गर्न यो प्रवेश-पत्र अनिवार्य रुपमा लिई आउनुहुन अनुरोध छ ।)

अध्यक्षजूको मन्तव्य

आदरणीय शेयरधनी महानुभावहरू,

यस पाँचथर पावर कम्पनी लिमिटेडको चौथो तथा पाँचौं सम्पूक्त वार्षिक साधारण सभामा आफ्नो अमूल्य समय दिएर भौतिक तथा भर्चुअल माध्यमबाट उपस्थित हुनु भएका कम्पनीका आदरणीय शेयरधनी महानुभावहरू, आमन्त्रित अतिथि तथा नियामक निकायका प्रतिनिधिहरू लगायत सभामा उपस्थिति सम्पुर्ण महानुभावहरूमा सञ्चालक समिति र मेरो व्यक्तिगत तर्फबाट समेत हार्दिक अभिवादन गर्दै यस सभामा स्वागत गर्न चाहन्छु ।

वर्तमान समयमा विश्वव्यापी रुपमा फैलिएको कोरोना भाइरस (कोभिड-१९)को महामारीका कारण यस कम्पनीको चौथो तथा पाँचौं वार्षिक साधारण सभा समयमानै सम्पन्न गर्न नसकिएको कुरा जानकारी गराउदछु नेपाल सरकारबाट जारी गरिएका स्वास्थ्य सुरक्षा सम्बन्धी निर्देशन तथा मापदण्डको सम्मान एवं परिपालना गर्दै सभा सम्पन्न गनुपर्ने विशेष परिस्थितिका कारण इच्छुक सबै शेयरधनी महानुभावहरूलाई यस सभास्थलमा उपस्थिति गराउन असमर्थ भएको सम्बन्धमा यहाँहरू जानकारी नै हुनु हुन्छ । आधुनिक प्रविधिको प्रयोग गरेरै भए पनि हामिले विद्युतीय (भर्चुअल) माध्यमबाट सबैको सहभागितालाई सुनिश्चित गर्ने प्रयास गरेको छौं । यसबाट उत्पन्न असुविधाका लागि हार्दिक क्षमायाचना गर्दै सबैको सुस्वास्थ्यको कामान गर्दछौं । आजको यस वार्षिक साधारण सभामा उपस्थिति जनाई सभाको शोभा बढाई दिनु भएकैमा सबैमा हार्दिक आभार व्यक्त गर्दछौं ।

कम्पनीको व्यावसायिक, आर्थिक तथा वित्तीय स्थिति विगतका वर्षहरूमा जस्तै यस आर्थिक वर्षहरूमा पनि संतोषजनक र उपलब्धिमुलक नै रहेको हुँदा, आर्थिक वर्ष २०७५/७६ र २०७६/७७ सम्मको सम्पन्न गरेका कार्यसम्पादनका विवरणहरू अभिलेखको रुपमा सञ्चालक समितिको यो वार्षिक प्रतिवेदन सभा समक्ष प्रस्तुत गर्न पाउँदा मलाई हर्षको अनुभूती समेत भइरहेको छ ।

प्रदेश नं.१, पाँचथर जिल्लाको हिलिहाङ्ग गा.पा. तथा फिदिम न.पा. बीच भएर बहने हेवा खोलाबाट १४,९०० किलोवाट क्षमताको जलविद्युत उत्पादन गर्ने उद्देश्य अनुरूप निर्माण सम्पन्न गरि मिति २०७३/१०/२२ गते देखि विद्युत उत्पादन गरि हेवा खोला ए जलविद्युत आयोजनाको संचालन भैरहेको छ ।

पाँचथर पावर कम्पनी लिमिटेड मिति २०७३ श्रावण २५ गतेदेखि पब्लिक कम्पनीमा परिणत भै कम्पनी ऐन २०६३ र विद्युत ऐन २०४९ अन्तर्गत काम/कारोबार गर्दै आइरहेको छ । कम्पनीले विद्युत उत्पादन गर्ने अनुमति मिति २०६९ साल जेष्ठ महिना १६ गते प्राप्त गरेको छ । सो अनुमतिपत्र २१०४ साल मंसिर २० गते सम्म ३५ वर्ष सम्म रहने ब्यहोरा म यहाँहरूलाई जानकारी गराउदछु ।

आर्थिक वर्ष २०७६/०७७ सम्म आई पुग्दा आयोजना वाट हाल सम्म उत्पादीत विद्युत विक्रि आम्दानीमा:-

आ.व. २०७३/०७४ को रु ८,८८,३४,३२०।- (आठ करोड अठ्ठासि लाख चौतिस हजार तिनसय विस) र

आ.व. २०७४/०७५को रु २५,३२,६५,६७४।- (पच्चिस करोड बतिस लाख पैसठि हजार छ सय चौहतर),

२०७५/०७६ को रु २४,९९,०९,२४०।- (चौविस करोड उनन्सय लाख नौ हजार दुई सय चालिस),

२०७६/०७७ को रु ३९,९२,८६,५२४।- (उनन्चालीस करोड बयानव्वे लाख छ्यासि हजार पाँच सय चौविस),

छ भने चालु आ.व.को ०७७ माघ सम्मको आम्दानी रु २४,२९,०७,५३०।-(चौविस करोड उनीनतस लाख सात हजार

पाँच सय तिस) मात्र भएको कुरा म यहाँ हरुसमक्ष जानकारी गराउदछु ।

यसरी विद्युत विक्रि वाट प्राप्त आम्दानी वाट आयोजनाको प्लाण्ट संचालन तथा प्रशासनिक खर्च, बैक ब्याज एवं कर्जा भुक्तानी, विद्युत रोयल्टी, आयोजनाको विमा गरिएको कुरा म यहाँहरु समक्ष जानकारी गराउदछु। यसको विस्तृत खर्च को विवरण कम्पनिको वार्षिक प्रतिवेदनमा संलग्न बासलात आय-व्यय विवरणका साथ संलग्न अनुसुचि सहितको लेखापरीक्षक वाट प्रमाणीत आर्थिक प्रतिवेदनले प्रस्ट पार्दछ।

आदरणीय शेयरधनी महानुभावहरु,

आयोजना निर्माण कार्य सम्पन्न भइसके पश्चात आयोजनावाट उत्पादीत विद्युत केन्द्रिय प्रसारण लाईनमा जडान गर्न ने.वि.प्रा. वाट १३२ के.भि.कावेलि करिडोर विद्युत प्रसारण लाईन समयमानैनिर्माण कार्य सम्पन्न नगरेको कारण हेवा खोला ए जलविद्युत आयोजना वाट उत्पादीत विद्युत केन्द्रिय प्रसारण लाईनमा पुर्ण क्षमतामा प्रसारण गर्न नसकिएको कारण आयोजनावाट उत्पादीत करिव ३८ करोड बराबरको विद्युत प्रसारण गर्न नसकी कम्पनीले नोक्षानी व्यहोर्नु परेको छ। हेवाखोला जलविद्युत आयोजना संचालनमा आएको आज ४ वर्ष पुरा भइसकेको भएता पनि ने. वि.प्रा.ले कावेली करिडोर १३२ के भि प्रसारण लाईन समयमानै नवनाएको कारण आयोजनावाट लक्ष अनुसारका आम्दानी गर्न सकिएन जसको कारण आ.व.२०७६/०७७ सम्म आईपुग्दा लगानी कर्ता शेयर धनीहरुमा मुनाफा वितरण गर्न नसकिएको ब्यहोरा म यहाँहरु समक्ष जानकारी गराउदछु। आगामि वर्ष देखि कम्पनिले शेयरधनी तथा लगानी कर्ताहरुमा थोरै भए पनि प्रतिफल वितरण गर्ने लक्ष लिएको छ।

आ.व. २०७६/०७७ को बासलात, नाफा-नोक्सान हिसाब, नगद प्रवाह विवरण लगायत लेखापरीक्षकवाट पेश गरिएको प्रतिवेदन तथा सञ्चालक समितिको वार्षिक प्रतिवेदन यस अधिनै अध्ययनका लागि यहाँहरु समक्ष उपलब्ध गराई सकिएकोले अनुमोदनका लागि प्रस्तुत गर्न चाहन्छौ। कम्पनीको उन्नती प्रगति र व्यवसायिक सफलतामा यस कम्पनिका शेयरधनी तथा शुभचिन्तकहरुको ठोस रचनात्मक सल्लाह सुझावको महत्वपूर्ण भूमिका रहने हुँदा यहाँहरुवाट प्राप्त हुने अमुल्य सल्लाह, सुझावलाई कम्पनीले सदाभै मार्गदर्शनका रुपमा लिई अगाडि बढ्नेछ र त्यस्ता सल्लाह सुझाव तथा प्रतिक्रियाहरुको सदैव अपेक्षा गर्दछौ।

अन्त्यमा, सम्पुर्ण शेयरधनी महानुभावहरु, नेपाल विद्युत प्राधिकरण, ऋण लगानीकर्ता बैकहरु, आयोजनाको बीमा गर्ने कम्पनी तथा विभिन्न नियमनकारी निकायहरु, उर्जा जलस्रोत तथा सिंचाई मन्त्रालय, वन तथा वातावरण मन्त्रालय, विद्युत विकास विभाग, विद्युत नियमन आयोग, कम्पनी रजिष्ट्रारको कार्यालय, उद्योग विभाग, नेपाल धितोपत्र बोर्ड, नेपाल स्टक एक्सचेन्ज लिमिटेड, सिडिएस एण्ड क्लियारीङ लिमिटेड लगायत अन्य सम्बद्ध सरकारी तथा गैर सरकारी निकायहरु, शेयर रजिष्ट्रार सानिमा क्यापिटल, प्रभावित क्षेत्रका वासिन्दाहरु, लगनशिल तथा इमान्दारिताका साथ कार्यरत कम्पनीका कर्मचारी साथीहरु, लेखापरीक्षक लाई कम्पनीको सञ्चालक समिति तथा मेरो व्यक्तिगत तर्फवाट सहृदय धन्यवाद दिन चाहन्छु। आफ्नो व्यस्तताका बावजुद यस सभामा प्रत्यक्ष तथा विद्युतीय (भर्चुअल) माध्यमवाट उपस्थित भई कम्पनीको हौसला बढाई दिनु भएकोमा शेयरधनी महानुभावहरुलाई पुनः धन्यवाद दिन सञ्चालक समितिद्वारा पेश गरिएको प्रतिवेदन माथि छलफल गरी अनुमोदनको लागि प्रस्तुत गर्दछु।

धन्यवाद

(उमेश श्रेष्ठ)

अध्यक्ष, सञ्चालक समिति

मिति २०७७ फाल्गुण २४ गत

पाँचथर पावर कम्पनी लिमिटेडको वार्षिक साधारण सभामा सञ्चालक समितिको तर्फबाट प्रस्तुत वार्षिक प्रतिवेदन

कम्पनी ऐन,२०६३ को दफा १०९ को उपदफा (४) बमोजिम सञ्चालक समितिको प्रतिवेदन

आर्थिक वर्ष २०७५/०७६ र २०७६/०७७

समीक्षा अवधि र चालु आ.व. को यथास्थिति वारेमा सम्पूर्ण शेयरधनी महानुभावहरुको जानकारीका लागि कम्पनी ऐन २०६३ ले निर्दिष्ट गरेअनुरूप देहाय बमोजिम विवरण पेश गरिएको छ।

(१) विगत वर्षको कारोबारको सिंहावलोकन

जलविद्युत आयोजनाको निर्माण तथा सञ्चालन गर्ने मुख्य व्यवसायिक उद्देश्य रहेको यस कम्पनीले आफ्नो उद्देश्य अनुसार निर्माण गरी हाल सञ्चालनमा रहेको पाँचथर जिल्ला हेवा खोला स्थित १४.९ मे.वा जडित क्षमताको हेवा खोला ए जलविद्युत आयोजना लाई विगतका वर्षहरुमा जस्तै प्रस्तुत आर्थिक वर्ष २०७६/०७७ पनि दक्षतापूर्वक सञ्चालन गरी अधिकतम विद्युतीय उर्जा उत्पादन तथा विक्रीवाट कम्पनीको आम्दानी उच्चतम बनाउने कार्यलाई निरन्तरता दिइएको छ। तसर्थ प्रस्तुत आर्थिक वर्ष पनि विद्युत उत्पादनको स्थिति संतोषजनक नै रहेको छ।

आ. व.२०७५/७६ र २०७६/७७ को कारोबारको संक्षिप्त विवरण

विद्युत उत्पादन लक्ष तथा विक्रि आ.व. २०७५/०७६ र २०७६/०७७ मा यस कम्पनिको १४.९ मे.वा. क्षमताको हेवा खोला ए जलविद्युत आयोजना वाट विद्युत उत्पादन विवरण तालिका

	०७५ / ०७६				०७६ / ०७७			
महिना	लक्ष्य, कट्राक्ट इनर्जी कि.वा.आ. (पि पि ए)	उत्पादन कि.वा.आ.	प्रतिशत	रकम रु.	उत्पादन कि.वा.आ.	प्रतिशत	रकम रु.	
श्रावण	१०५३५५५	४०४०४४०	३८.३५	१९९५९७७४	१०५२०४५०	९९.८५	५३५४९०९९	
भाद्र	१०५३५५५	३६६८५८०	३४.८२	१८१२२७८५	१०५३५५५	१००.००	५३६२६९८८	
आश्विन	१०५३५५५	६६५३३१०	६३.१५	३२८६७३३९	१०९९५८९९	९६.७७	५९८९७०८५	
कार्तिक	८३०१७३५	४९८५५७०	६०.०५	२४६२८७९६	७२९९९३०	८६.९७	३६७४९४४४	
मंसिर	६०६९९७५	३०७४३४०	५०.६५	१५९८७२४०	४४४६२७०	७३.२५	२२६३९५९४	
पौष	४४२७९२३	२४९४४८०	५६.३४	२९५७७२५२	३२९३९३०	७४.३९	२९३९५९७७	
माघ	३३९२८५२	२०५९९२०	६२.९६	१७८९९३८८	२४०८८४०	७२.७९	२९४३८६७६	
फाल्गुण	२९८३९६५	१७९९९००	६०.३९	१६०९९९९०	२९६०३९०	७२.४२	१९७८९९७२	

चैत्र	२७००५८७	२३६९३४०	८७.४४	२९०९५९२६	१९८२३००	७३.४०	१८९५७८६८
वैशाख	३८३००२०	२६७५९८०	६९.८५	१३६९६६६६	२६६९८००	६९.७९	१३९६३०५४
जेष्ठ	७९८६६०९	३५६२८९०	४४.६९	१८९३४७०३	६५९५३९४	८२.५८	३४४९३९९३
आषाढ	१०८७५६९७	६०८५५५०	५५.९६	३०९७५४५०	८३५०६२०	७६.७८	४३६७३७४३
जम्मा	८२०९५७४९	४३४५९८२०		२४९,९०९,२४०	७०३७५६९		३९९,२८६,५२४

शेयरधनी महानुभावहरुको जानकारीका लागि कम्पनीको आय व्यय लाई आ.व. संग तुलना गरी निम्नानुसार प्रस्तुत गरिएको छ :-

विवरण	आर्थिक वर्ष		वृद्धि / (कमी)	प्रतिशत
	०७६ / ०७७	०७५ / ०७६		
विद्युत बिक्री आमदानी	३९९,२८६,५२४	२४९,९०९,२४०	१४९,३७७,२८४	५९.७७
अन्य आमदानी	१,८८५,२५७	५९,९७४	१,८२५,२८३	३,०४३.४६
जम्मा आमदानी	४०९,१७१,७८१	२४९,९६९,२१४	१५९,२०२,५६७	६०.४९
रोयल्टी	९,४७३,९७३	६,४८६,९६०	२,९८७,०१३	४६.०५
प्रशासकीय तथा प्लान्ट संचालन खर्च	२०,६७९,९५५	२२,९९२,५२९	(२,३१२,५६६)	(९.७४)
हास खर्च	८६,९०६,८६६	८६,३७०,०९९	(५३६,७६७)	(०.६१)
ब्याज खर्च	१८९,२७७,९९४	२९०,०४०,५०६	(१००,७६३,५१२)	(९.८९)
जम्मा खर्च	३०५,५३७,९८८	३२५,८९०,०८६	(२०,३५२,०९८)	(६.२२)
आयकर कट्टी गर्नु अघिको नाफा	९५,६३३,७९३	(७५,९२०,८७२)	१७१,५५४,६६५	(२२६)
आय कर	-	-	-	-
आयकर पछिको नाफा	९५,६३३,७९३	(७५,९२०,८७२)	१७१,५५४,६६५	(२२६)
शेयर संख्या	९,६२५,०००	९,६२५,०००	-	-
प्रति शेयर आमदानी	९.९४	(७.८८)	२.०६	

(२) राष्ट्रिय तथा अन्तराष्ट्रिय परिस्थितिबाट कम्पनीको कारोबारलाई परेको असर :

राष्ट्रिय तथा अन्तराष्ट्रिय आर्थिक तथा वित्तीय क्षेत्रमा देखा पर्ने विभिन्न प्रतिकुलताहरु जस्तै मुद्रास्फूर्ति, विदेशी मुद्राको मूल्यमा हुने वृद्धि, अन्तराष्ट्रिय मुल्य वृद्धि आदि कारण आयोजनाको नियमित मर्मत सम्भारका लागि आवश्यक पर्ने विभिन्न यन्त्र उपकरण लागायत निर्माण सामग्री, प्राविधिक परामर्श सेवा आदिले कम्पनीको खर्च बढ्ने गर्दछ ।

वर्तमान विश्वव्यापी रुपमा फैलिएको कोरोना भाईरस (कोभिड-१९) संक्रमणको महामारीबाट यस कम्पनीको सञ्चालनमा रहेको हेवा खोला ए जलविद्युत केन्द्रको विद्युत उत्पादन प्रक्रियामा खासै प्रतिकुल असर नपरेतापनि कम्पनीको काठमाडौं स्थित केन्द्रीय कार्यालयबाट हुने दैनिक वित्तीय तथा प्रशासनिक कार्यहरुमा असहजता सिर्जना भएको छ । कोभिड -१९ को नियन्त्रणका लागि नेपाल सरकारले मिति २०७६ साल चैत्र १९ गतेदेखि निरन्तर रुपमा श्रावण ६ गते सम्म गरेको बन्दाबन्दी (लकडाउन) तथा सो पश्चात पनि विभिन्न स्थानीय निकायले जारी गरेको निषेधाज्ञाका कारण केहि असहजता भएको छ ।

(३) प्रतिवेदन तयार भएको मिति सम्म चालु वर्षको उपलब्धी र भविष्यमा गर्नु पर्ने कुराको सठबन्धमा सञ्चालक समितिको धारणा :

यस कम्पनीको आ.व. २०७७/०७८को माघ महिना सम्मको आमदानी रु २४,२९,०७,५३०।-(चौबिस करोड उनीनतस लाख सात हजार पाँच सय तिस) भएको छ । हाल लाई कम्पनिले भविष्यमा अन्य थप आयोजनाहरु निर्माण गर्ने योजना लिएको छैन । आयोजनाको अधिकतम संरक्षण र नियमित मर्मत तथा संभार गरी लगानी उच्च प्रतिफल दिने लक्ष लिएकोछ ।

सर्वसाधारण तथा सवैमा जानकारीको लागी यस कम्पनिले त्रैमासिक वित्तीय प्रतिवेदन प्रकाशित गर्दै आएकोमा चालु आ.व.२०७७/०७८ को दोस्रो त्रैमासीक २०७७ पौष मसान्त सम्मको प्रतिवेदन राष्ट्रियस्तरको दैनिक नयापत्रिकामा प्रकाशित गरिएकोछ ।

(४) कम्पनीको औद्योगिक वा व्यावसायिक सठबन्ध :

कम्पनीले आफ्नो व्यावसायिक तथा औद्योगिक क्षेत्रसँग प्रत्यक्ष वा परोक्ष सम्बन्ध राख्ने सघं संस्था, निकायहरु तथा सरो कारवाला संस्थाहरु जस्तै नेपाल सरोकारको उर्जा ,जलस्रोत तथा सिंचाई मन्त्रालय, विद्युत विकास विभाग, उद्योग विभाग, कम्पनी रजिष्ट्रारको कार्यालय साथै वन तथा वातावरण मन्त्रालय, स्थानीय विकास मन्त्रालय, गृह मन्त्रालय, रक्षा मन्त्रालय र विद्युत खरीद गर्ने नेपाल विद्युत प्राधिकरण, आयोजना निर्माणमा वित्तीय सहयोग प्रदान गर्ने बैंकहरु, आयोजनाको बीमा गर्ने बीमा कम्पनी, नेपाल धितोपत्र बोर्ड , नेपाल स्टक एक्सचेन्ज, सिडिएस एण्ड क्लियरिङ लिमिटेड, आयोजना क्षेत्रका स्थानीय सरकारी तथा गैर सरकारी निकायहरु, जगेडा पार्ट-पुर्जा तथा उपकरणहरु आपूर्तिकर्ता स्वदेश तथा विदेशी कम्पनीहरूसँग कम्पनीले सुमधुर सम्बन्ध कायम राख्दै आएको छ ।

(५) सञ्चालक समिति

कम्पनीको नियमावली अनुसार यस कम्पनीमा ४ वर्षको कार्यकालका लागी ९ जना सञ्चालकहरु रहने ब्यस्था छ । सस्थापक समुह (क,समुह वाट) ६ जना तथा सर्वसाधारण (ख,समुह वाट) २ जना र स्वतन्त्र वाट १ जना संचालकहरुको प्रतिनिधित्व रहनेछ । वर्तमान संचालकहरुको नामावली निम्न अनुसार प्रस्तुत गरिएको छ । संचालक समिति सदस्यहरुको कार्यकाल ४ वर्ष पुरा भएको हुँदा यस बार्षिक साधारण सभाबाट संचालक समितिका नयाँ सदस्यहरुको निर्वाचन हुनेछ ।

वर्तमान् सञ्चालक समिति

सि.नं.	बहाल वला सञ्चालक समितिको नाम थर	पद	सञ्चालकमा हेरफेर तथा परिवर्तन भएको कारण
१	श्री उमेश श्रेष्ठ प्रतिनिधि :यु.वि. ईन्भेष्टमेन्ट कम्पनी प्रा.लि.का तर्फबाट	अध्यक्ष	यथावत
२	श्री पुष्पज्योती ढुङ्गना प्रतिनिधि :एक्सेस इन्भेष्टमेन्ट कम्पनी प्रा.लि.का तर्फबाट	प्रबन्ध निर्देशक	यथावत
३	श्री बसन्त कुमार नेम्बाङ्ग	सञ्चालक	राजिनामा
४	श्री राजेश कुमार श्रेष्ठ प्रतिनिधि: यु.वि. ईन्भेष्टमेन्ट कम्पनी प्रा.लि. का तर्फबाट	सञ्चालक	यथावत
५	श्री रघुनाथ पुरी प्रतिनिधि :मेगा भेन्चर प्रा.लि.का तर्फबाट	सञ्चालक	यथावत
६	श्री लाल प्रसाद साँवा लिम्बु प्रतिनिधि :मेगा भेन्चर प्रा.लि.का तर्फबाट	सञ्चालक	यथावत

(६) विगत आर्थिक वर्षमा कम्पनीको सञ्चालक तथा पदाधिकारीहरूले लिएको शेयरको स्वामित्वकोविवरण र कम्पनीको शेयर कारोबारमा निजहरू संलग्न रहेको भए सो सम्बन्धमा निजहरूबाट कम्पनीले प्राप्त गरेको जानकारी :

आ.व. २०७६/०७७ को अन्त्य सम्ममा कम्पनीका सञ्चालक तथा पदाधिकारीहरूको शेयर स्वामित्व निम्न बमोजिम रहेको छ । र निजहरू कम्पनीको शेयरको कारोबारमा संलग्न रहेको पाईएको छैन ।

सि.नं.	बहाल वला सञ्चालक समितिको नाम थर	पद	शेयर संख्या
१	श्री उमेश श्रेष्ठ प्रतिनिधि :यु.वि. ईन्भेष्टमेन्ट कम्पनी प्रा.लि.का तर्फबाट	अध्यक्ष	सस्थागत-१७,५५,३०४ कित्ता
२	श्री पुष्पज्योती ढुङ्गना प्रतिनिधि :एक्सेस इन्भेष्टमेन्ट कम्पनी प्रा.लि.का तर्फबाट	प्रबन्ध निर्देशक	सस्थागत-१५,७९,५०० कित्ता
३	श्री राजेश कुमार श्रेष्ठ प्रतिनिधि: यु.वि. ईन्भेष्टमेन्ट कम्पनी प्रा.लि. का तर्फबाट	सञ्चालक	व्यक्तिगत-१,७३,२७० कित्ता
४	श्री रघुनाथ पुरी प्रतिनिधि :मेगा भेन्चर प्रा.लि.का तर्फबाट	सञ्चालक	सस्थागत-११,१२,११९ कित्ता
५	श्री लाल प्रसाद साँवा लिम्बु प्रतिनिधि :मेगा भेन्चर प्रा.लि.का तर्फबाट	सञ्चालक	

(७) विगत आर्थिक वर्षमा कम्पनीसंग सम्बन्धित सम्भौताहरूमा कुनै सञ्चालक तथा निजको नजिकको नातेदारको व्यक्तिगत स्वार्थ बारेमा उपलब्ध गराईको जानकारी व्यहोरा :

त्यस प्रकारको जानकारी उपलब्ध नभएको ।

(८) कम्पनीले आफ्नो शेयर आफैले खरिद गरेको भए त्यसरी आफ्नो शेयर खरिद गर्नको कारण, त्यस्तो शेयर कम्पनीले आफ्नो शेयर आफै खरिद गरेबापत कम्पनीले भत्तानी गरेको रकम :

कम्पनीले आफ्नो शेयर आफै खरिद गरेको छैन ।

(९) संस्थागत सामाजिक उत्तरदायित्व

यस कम्पनीले आयोजना निर्माणका साथ साथै आयोजना प्रभावित क्षेत्र तथा प्रत्यक्ष प्रभावितहरूको लागि कम्पनीले आफ्नो तर्फबाट निभाउनु पर्ने संस्थागत सामाजिक उत्तरदायित्व निभाउँदै आएको छ । आयोजना प्रत्यक्ष प्रभावित क्षेत्रमा विशेष गरी त्यस क्षेत्रमा परेका कुलो, खाने पानी, स्कूल सम्म पुग्ने बाटोमर्मत जस्ता सामाजिक दायित्व लाई नियमित रूपमा पुरा गरिरहेको छ ।

(१०) सञ्चालक तथा उच्चपदस्थ पदाधिकारीहरूको पारिश्रमिक :

कम्पनीका सञ्चालक हरूलाई प्रति बैठक भत्ता बापत सञ्चालक अध्यक्ष लाई रु. १५०००/- र सञ्चालक सदस्यहरूलाई रु. १००००/- उपलब्ध गराइँदै आएकोछ ।

(११) खरिद तथा बिक्री सम्पतिको विवरण

आ.व. २०७६/२०७७ सम्मका सम्पति हरूको विवरण आर्थिक प्रतिवेदन को अनुसर्चि विवरणहरूमा उल्लेख गरिएको छ ।

(१२) धन्यवाद ज्ञापन

कम्पनीको स्थापना कालदेखि आयोजनाको निर्माण तथा सञ्चालन, व्यवस्थापन, मर्मत संभार प्रत्यक्ष वा परोक्ष रूपमा संलग्न भई निरन्तर सहयोग पुर्याउनु हुने समपूर्ण निकाय तथा ब्यक्तिहरूलाई धन्यवाद दिन चाहान्छु । अन्तयमा, शेयरधनी महानुभावहरूले कम्पनि र कम्पनिको सञ्चालक समिति प्रति देखाउनु भएको सहयोग, सदासयता तथा विश्वासप्रति हार्दिक धन्यवाद तथा कृतज्ञता ज्ञापन गर्दै सञ्चालक समितिद्वारा पेश गरिएको प्रतिवेदन माथि छलफल गरी अनुमोदनको लागि प्रस्तुत गर्दछु ।

धन्यवाद

उमेश श्रेष्ठ

अध्यक्ष, सञ्चालक समिति

पाँचथरपावर कम्पनि लिमिटेड



otherwise appears to be materially misstated. If, based on the work we have performed, we conclude that there is a material misstatement of this other information, we are required to report that fact. We have nothing to report in this regard.

Responsibilities of Management and Those charged with Governance for the Financial Statements

Management is responsible for the preparation and fair presentation of the financial statements in accordance with Nepal Accounting Standards, and for such internal control as management determines is necessary to enable that preparation of financial statements that are free from material misstatement, whether due to fraud or error.

In preparing the financial statements, management is responsible for assessing the company's ability to continue as a going concern, disclosing, as applicable matters related to going concern and using the going concern basis of accounting unless management either intends to liquidate the Company or to cease operations, or has no realistic alternative but to do so.

Those charged with governance are responsible for overseeing the Company's financial reporting process.

Auditor's Responsibilities for the Audit of the Financial Statements

Our objectives are to obtain reasonable assurance about whether the financial statements as a whole are free from material misstatement, whether due to fraud or error, and to issue an auditor's report that includes our opinion. Reasonable assurance is a high level of assurance, but is not a guarantee that an audit conducted in accordance with NSA's will always detect a material misstatement when it exists. Misstatements can arise from fraud or error and are considered material if, individually or in aggregate, they could reasonably expect to influence the economic decisions of users taken on the basis of these financial statements. Further responsibilities of the auditor have been mentioned in **Annexure 1**.

Report on Other Legal and Regulatory Requirement

- We have obtained information and explanations asked for, which, to the best knowledge and belief, were necessary for the purpose of our audit.
- In our opinion, Balance sheet as at Ashadh 31, 2077, Income Statement, Cash Flow Statement and Statement of Changes in Equity for the year ended 2076/77 and Significant Accounting Policies & Notes to Account, have been prepared in accordance with the requirements of the Companies Act, 2063 and other applicable laws and are in agreement with the books of account maintained by the Company including relevant records relating to the preparation of the aforesaid financial statements have been kept so far as it appears from our examination of those books and record of the Company.

per Rule 86 of Electricity Regulation 2050, the licensee shall have to distribute bonus to workers and employees every year setting aside the amount equal to two percent of the amount of net profit, provided that the bonus to be distributed shall not exceed the amount equal to the annual salary of the concerned employees. However, the entity hasn't set aside provision for bonus for the FY 2076/77.

the best of our information and according to explanation given to us and so far appears from our examination of the books of account of the Company, we have not come across where Board of Directors or any employees of the Company have acted contrary to the provisions of law relating to the accounts, or committed any misappropriation or caused



loss or damage to the Company or acted in a manner to jeopardize the interest in Company or its shareholders.

- The operation of the Company is within its jurisdiction.

Place: Kathmandu

Date: 2077/09/15 (2020/12/30)

UDIN No: 210110CA00866qHgDs

Auditor



CA. Shikha Bagla

Partner

PYC & Associates
Chartered Accountants

Annexure - 1

As a part of audit in accordance of NSAs, we exercised professional judgment and maintain professional skepticism throughout the audit of Panchthar Power Company Ltd. for F.Y. 2076/77 (2019/20). We also:

- Identified and assessed the risk of material misstatement of the financial statement whether due to fraud or error, designed and performed audit procedures responsive to those risks, and obtained audit evidence that is sufficient and appropriate to provide an opinion. The risk of not detecting material misstatement resulting from fraud is higher than one resulting from error, as fraud may involve collusion, forgery, intentional omission, misrepresentation, or the override of internal control.
- Obtained an understanding of internal control relevant to the audit in order to design audit procedures that are appropriate in the circumstances, but not for the purpose of expressing an opinion on the effectiveness of internal control.
- Concluded an appropriateness of management use of going concern basis of accounting and, based in audit evidence obtained, whether a material uncertainty exists related to events or condition that may cast significant doubt on the Company's ability to continue as going concern. If we concluded that a material uncertainty exists, we were required to draw attention in our auditor's report to the related disclosures in the financial statements or, if such disclosure were inadequate, to modify our opinion. Our conclusions were based on the audit evidence obtained up to the date of our auditor's report. However, future events or conditions may cause the Company to cease to continue as going concern.
- Evaluated the appropriateness of accounting policies used and the reasonableness of accounting estimates and related disclosures made by management.
- Evaluated the overall presentation, structure, and content of financial statement including the disclosures, and whether the financial statement represent the underlying transactions and events in a manner that achieves fair presentation.
- Obtained sufficient appropriate audit evidence regarding the financial information of the entities or business activities to express an opinion on the financial statements. We remain solely responsible for our audit opinion.
- We communicated with those charges with governance regarding, among other matters, the planned scope and timing of the audit and significant audit findings, including any significant deficiencies in internal control that we identified during our audit.

We provided those charged with governance with a statement that we have complied with the ethical requirements regarding independence and communication with those charged with governance and other matters that may reasonably be thought to bear on our independence and where applicable, related standards.

The matters communicated with those charged with governance, we determine matters that were of most significance in the audit of the consolidated financial statements of current period and are therefore the key audit matters. We communicate with our auditor's report unless law or regulation precludes public disclosure about the matter. When, in extremely rare circumstances, we determine that a matter should be communicated in our report because the adverse consequences of doing so would likely exceed the benefits that would otherwise result from such communication.

Panchthar Power Company Ltd.
Hattiban, Lalitpur, Nepal
Balance Sheet

As on 31 Ashad 2077 (15th July 2020)

Sources of Funds	Schedule	As at 31st Ashad 2077 Amount in NPR	As at 31 Ashad 2076 Amount in NPR
Share Capital			
Paid up Capital	1	962,500,000	962,500,000
Reserve and Surplus	2	(140,143,590)	(223,711,122)
Term Loan		1,507,936,782.46	1,622,728,782
Total Sources of Funds		2,330,293,193	2,361,517,660
Application of Fund			
Non Current Assets			
Property, Plant & Equipment	3	2,637,072,307	2,627,072,307
Less : Accumulated Depreciation		310,645,813	224,538,947
Net Fixed Assets		2,326,426,494	2,402,533,359
Deferred tax asset/(liability)		(56,872,523)	(44,806,262)
Current Assets, Loan and Advance			
Cash and Bank balances	4	23,061,571	205,214
Debtors and Accounts Receivables	5	92,092,369	49,092,764
Advance, deposits and prepaids	6	47,875,349	57,653,243
Total Current Assets, Loan and Advance		163,029,290	106,951,221
Less: Current Liabilities & Provisions			
Creditors and Payables	7	53,762,346	56,880,641
Short Term Loan- O/D		48,527,722.14	46,280,017
Total Current Liabilities & Provisions		102,290,068	103,160,658
Net Current Assets		60,739,222	3,790,563
Total Assets		2,330,293,193	2,361,517,660
Significant Accounting Policies and Notes to the Accounts	11		

For and on behalf of Panchthar Power Company Ltd. As per our report of even date attached Auditor

(Signature) *(Signature)* *(Signature)* *(Signature)*
 Rajesh Kumar Shrestha, Finance Director Prakash Kumar Shrestha, Managing Director Prakash Kumar Shrestha, Managing Director CA. Smita Singh, Partner

Date: 2077/07/15
Place: Lalitpur


PYC & Associates
Chartered Accountants


Panchthar Power Company Ltd.
Hattiban, Lalitpur, Nepal
Income Statement
For the Year Ended 31 Ashad 2077 (15, July 2020)

Particulars	Schedule	As at 31st Ashad 2077 Amount in NPR	As at 31 Ashad 2076 Amount in NPR
Income			
Revenue from Sales of Electricity		399,286,524	249,909,240
Other Income		1,885,257	59,974
Total		401,171,781	249,969,215
Expenses			
Royalty Expenses	8	9,473,973	6,486,960
Administrative and General Expenditures	9	20,679,955	22,912,521
Depreciation	3	86,106,865.68	86,370,099
Total		116,260,794	115,769,581
Profit from Operations		284,910,987	134,199,634
Financial Cost	10	189,277,194	210,040,506
Gain on Sale of Fixed Assets		-	-
Net Profit/(Loss) before bonus and tax		95,633,793	(75,840,872)
Bonus Expenses		-	-
Net profit after Bonus Expenses		95,633,793	(75,840,872)
Income tax		-	-
Deferred tax Income/(Expense)		(12,066,260)	(44,806,262)
Profit/(Loss) after tax		83,567,532	(120,647,134)
Loss Brought Forward from Last Year		(223,711,122)	(103,063,988)
Profit/(Loss) transferred to Balance Sheet		(140,143,590)	(223,711,122)
Significant Accounting Policies and Notes to the Accounts	11		

For & Behalf of the Panchthar Power Company Ltd.

As per our report of even date attached
Auditor


Rajesh Kumar Shrestha
Finance Director


Pushpa Jyoti Ghimire
Managing Director


Urmah Shrestha
Chairman


CA. Mukta Singh
Partner
PWC & Associates
Chartered Accountants



Date: 2077/09/15
Place: Lalitpur



Panchthar Power Company Ltd.
Hattiban, Lalitpur, Nepal
Cash Flow Statement
For the Year Ended 31 Ashad 2077 (15, July 2020)

Particulars	As at 31st Ashad 2077 Amount in NPR	As at 31 Ashad 2076 Amount in NPR
Cash Flows from Operating Activities		
Net Profit Before Taxation	95,633,793	(75,840,872)
Adjustment for:		
Depreciation	86,106,866	86,370,099
Foreign Exchange Gain/Loss	-	-
Loss from disposal of Assets	-	-
Gain from disposal of Assets	-	-
Cash flow from Operating Activities before changes in Working Capital	181,740,658	10,529,228
Cash Flows from changes in working capital		
(Increase)/ Decrease in current assets	(33,221,711)	(14,412,351)
Increase/(Decrease) in current liabilities	(870,590)	(93,332,961)
Cash Flows from Operating Activities	147,648,357	(97,216,084)
Cash Flow on Investing Activities		
Decrease/Increase in Capital Assets	-	-
Purchase/Capitalisation of Fixed Assets	(10,000,000)	(1,225,760)
Increase/Decrease in Investment	-	-
Proceed from Disposals of Asset during the Year	-	-
Cash Flows on Investing Activities	(10,000,000)	(1,225,760)
Cash Flows on Financing Activities		
Issue of Share Capital	-	192,500,000
Increase/(Decrease) of Loan from Banks	(114,792,000)	(95,023,200)
Cash Flows from Financial Activities	(114,792,000)	97,476,800
Total Cash Generated in the Year	22,856,357	(965,044)
Opening Cash and Bank Balances	205,215	1,170,259
Cash and Bank Balance at the End of the Year	23,061,571	205,215

Significant Accounting Policies and Notes to the Accounts 11

For behalf of the Panchthar Power Company Ltd.

As per our report on even date attached
Auditor


Rajesh Kumar Shrestha
Finance Director


Pushpa Jyoti Ghimire
Managing Director


Urmah Shrestha
Chairman


CA. Mukta Singh
Partner
PWC & Associates
Chartered Accountants



Date: 2077/09/15
Place: Lalitpur



Panchthar Power Company Ltd.
Hattiban, Lalitpur, Nepal
Statement of Changes in Equity for the year Ended 31 Ashad 2077

Particulars	Share Capital	Accumulated Profit or (Loss)	Other Reserve and Fund	Total
Balance at 1 Bhiswa-2076	962,500,000	(223,711,122)	-	738,788,878
Change in Accounting Policies	-	-	-	-
Profit/(Loss) for the year	-	83,567,532	-	83,567,532
Dividends	-	-	-	-
Issue of Shares Capital	-	-	-	-
Balance at 31st Ashad 2077	962,500,000	(140,143,590)	-	822,356,410

As per our report of even date attached
Auditor

For Auditor's Office: _____

[Signature]
Umesh Shrestha
Chairman

[Signature]
CA. Shikha Bagla
Partner
PWC & Associates
Chartered Accountants



DATE: 2077/09/15
PANCHTHAR
HATTIBAN, LALITPUR

Panchthar Power Company Ltd.
Hattiban, Lalitpur, Nepal

Schedules Annexed to & Forming Part of Financial Statements as at Ashad 31, 2077

Particulars	As at 31st Ashad 2077	As at 31 Ashad 2076
	Amount in NPR	Amount in NPR
Schedule 1: Share Capital		
<u>Authorized Capital</u>		
9625000, Ordinary share of Rs. 100 each.	962,500,000	962,500,000
<u>Issued Capital</u>		
9,625,000 Ordinary shares of Rs. 100 each.	962,500,000	962,500,000
<u>Paid up Capital</u>		
(7,700,000 Shars @ 100 promoter	770,000,000	770,000,000
Public share (from IPO)	192,500,000	192,500,000
Total paid up capital	962,500,000	962,500,000

Schedule 2: Reserve and Surplus		
Profit /(Loss) For the Year	83,567,532	(120,547,134)
Profit Brought from Last Year	(223,711,122)	(103,063,988)
Total	(140,143,590)	(223,711,122)

Schedule 4: Cash and Bank Balances		
Cash in Hand	14,383	-
Himalayan Bank	5,707	5,707
Sanima Bank Limited- Current A/c	462,785	148,269
Sanima Bank Limited- Control A/c	1,000	1,000
Commerz and Trust Bank	5,000	5,000
Nepal Investment Bank Limited	16,513	16,513
Machhapuchhre Bank Limited - Site A/c	7,840	8,840
Sanima Bank Limited- Call A/c	17,040	19,884
Sanima Bank Reserve A/c -90410010000008	22,531,302	-
Total	23,061,571	205,214

Schedule 5: Debtors and Accounts Receivables		
NEA - Revenue Receivable,	92,092,369	49,092,764
Total	92,092,369	49,092,764

Schedule 6: Loans, Advances, Deposits and Prepaids		
Deposits and Margin	922,000	1,021,000
Advance against Expenses	2,170,000	2,170,000
Staff Advances	288,277	131,880
Advances for Construction	7,868,000	7,682,550
Advances for Project Development	81,731,866	49,257,850
Prepaid Insurance for project	3,253,000	3,879,877
Total	47,871,343	67,653,143

Schedule 7: Liabilities and Provisions		
Liability to creditors	11,050,000	111,597
TVA Payable	3,100	131,880
Vendor Payable	68,264	49,257,850
Interest Payable	750,285	-
Security Deposit	9,851,700	100,000,000
Other	1,384,663	5,000,000
Total	13,088,342	156,880,643

[Signatures and stamps at the bottom of the schedules page]

Panchthar Power Company Ltd.
Hattiban, Lalitpur, Nepal

Schedules Annexed To And Forming Part Of Financial Statements As At Asadh 31, 2077

Particulars	As at 31st Ashad 2077	As at 31 Ashad 2076
	Amount in NPR	Amount in NPR
Schedule 8 : Royalty Expenses		
Revenue Royalty	7,983,973	4,996,960
Fixed Royalty	1,490,000	1,490,000
Total	9,473,973	6,486,960

Schedule 9 : Administrative Expenses

Salary	8,152,424	7,616,548
Dashin Allowance	447,600	460,400
Social Security Funds	485,345	-
Project Insurance	6,479,041	3,597,395
Fuel Expenses -Vehicle	276,694	301,596
Office Expenses	74,041	53,185
Bank Commission Charges	2,250	2,160
Printing & Stationery Expenses	40,735	47,423
Telephone Expenses	59,199	73,148
Local Conveyance	250	1,325
Biswa Karma Puja Expenses	10,350	6,570
Email & Internet Expenses	9,000	13,000
Water & Electricity Charge	60,000	60,000
Radio Renewal Charge	10,000	10,000
Repair and Maintenance	130,500	-
Travelling Expenses	152,700	397,772
House Rent	300,000	300,000
Audit Fee	113,000	113,000
Fright and Custom Charge	9,099	-
Guest and Entertainment	16,820	44,541
Vehicle Insurance	66,926	90,811
Mess-Expenses	101,736	111,678
Electricity expenses site intake	175,877	-
Misc.expenses	5,000	15,466
Legal Advisor fee	-	40,000
News Paper	3,400	4,600
Vehicle Renewal Charge	18,095	160,900
Vehicle Repair and Maintenance	321,876	545,616
Over Time Expenses	1,070,438	1,005,725
Custom Charge	28,571	-
Meter purchase	11,800	-
Power Planting Expenses	100,000	100,000
Power House Expenses	81,592	81,592
Royalty - 0%	11,164	34,884
Land (Wigyan) Expenses	10,000	10,000
Amortisation	11,181	-
Power purchase cost	0,000	-
Vehicle Insurance	10,000	-
Transmission cost (including 2000000)	-	1,044,000
Warranty Expenses	1,000	10,100
Net Loss	-	9,650,607
Vehicle Insurance	-	40,195
Power purchase	-	308,160
Miscellaneous Expenses	-	71,900
IT/Office	-	-
Total	20,678,955	22,912,521

Schedule 10: Financial Expenses

Interest on Borrowings & Loans	187,400,214	200,000,214
Bank Charges	1,511,370	1,372,281
Total	188,911,584	201,372,495

Panchthar Power Company Ltd.
Hattiban, Lalitpur, Nepal
For the Year Ended Ashad 31, 2077 (15th July 2020)

Particulars	Dep Rate %	Gross Assets			Gross Depreciation			Net Block As on 2076/03/31
		Gross Block	Addition	Disposal	Total	Opening	During This Year	
Structure Assets								
Civil Works		1,633,985,671	-	-	1,633,985,671	128,828,840	53,267,933	1,451,888,897
Metal Works	3.26%	234,031,054	10,000,000	-	244,031,054	16,963,490	7,629,412	2,592,902
Transmission Line Cost		108,323,784	-	-	108,323,784	8,228,664	3,531,355	11,760,019
Infrastructure Cost		110,658,152	-	-	110,658,152	8,758,659	3,607,456	106,563,764
Building	3.26%	20,424,895	-	-	20,424,895	1,616,643	665,853	98,292,038
Plant and Machinery	3.26%	479,619,385	-	-	479,619,385	37,852,409	15,635,592	18,142,401
Total		2,587,042,940	10,000,000	-	2,597,042,940	202,248,705	84,337,600	2,384,794,235
Pool 'A'								
Land and Development		11,954,322	-	-	11,954,322	946,192	389,711	10,618,419
Total A		11,954,322	-	-	11,954,322	946,192	389,711	10,618,419
Pool 'B'	25%							
Office Equipment	25%	2,490,395	-	-	2,490,395	1,955,740	132,664	397,991
Furniture	25%	521,582	-	-	521,582	480,271	10,328	30,984
Flooring and Furnishing	25%	35,000	-	-	35,000	32,944	514	33,458
Office Goods	25%	19,450	-	-	19,450	17,668	445	1,336
Office Partition	25%	159,400	-	-	159,400	145,442	2,489	147,932
Total Station Equipment	25%	630,094	-	-	630,094	594,051	11,011	605,062
Books Purchase	25%	16,013	-	-	16,013	14,043	493	1,478
Air Compressor	25%	413,800	-	-	413,800	378,449	8,838	26,513
Total B		4,289,734	-	-	4,289,734	3,622,610	166,781	560,343
Pool 'C'								
Vehicle	20%	4,550,000	-	-	4,550,000	4,061,447	97,711	350,842
TOYOTA via Sportage	20%	540,000	-	-	540,000	431,117	21,777	87,107
Motorcycle	20%	5,000,000	-	-	5,000,000	3,776,661	244,668	978,671
TOYOTA Jeep 2050	20%	2,250,000	-	-	2,250,000	1,699,498	110,100	440,402
TOYOTA Pickup 2522	20%	3,469,840	-	-	3,469,840	2,119,658	270,036	1,080,145
Bohro D/C 4wd	20%	4,000,000	-	-	4,000,000	2,951,424	205,715	838,861
RAV-4 Toyota ba 3 Cha 6861	20%	3,948,471	-	-	3,948,471	2,654,636	258,767	1,035,068
Crane- Tadano 25 tone	20%	23,758,311	-	-	23,758,311	17,694,441	1,212,774	4,851,095
Total 'C'		27,000	-	-	27,000	27,000	-	27,000
Pool 'D'	15%							
Account Software	15%	2,627,072,307	10,000,000	-	2,637,072,307	224,538,947	86,106,866	2,326,426,494
Total Assets		2,627,072,307	10,000,000	-	2,637,072,307	224,538,947	86,106,866	2,326,426,494

Schedule 11: Significant Accounting Policies and Notes to the Accounts

A. Background

The company produces electricity as per the terms of the license issued by Ministry of Electricity. The company has Hewa Khola 'A' Hydroelectric Project (14.9 MW) under its fold. Panchthar Power Company Limited is a limited company incorporated in Nepal under the company Act, 2063. The registered office of the company, and the principal place of business, is located at Hattiban, Lalitpur, Nepal and production unit is located in Phalelung Rural Municipality of Panchthar, Nepal. The company is converted into the Public Limited on 22-10-2074. The company produces electricity as per the terms of the license issued by Ministry of Energy.

B. Significant Accounting Policies:

1. Accounting Conventions

The financial Statements are prepared under the historical cost conventions on an accrual concept and are in accordance with the Nepal Accounting Standards and others as applicable laws prevalent in Nepal.

2. Use of Estimates

The preparation of financial statements in conformity with generally accepted accounting principle requires estimates and assumptions to be made that affect the reported amounts of Assets and Liabilities and disclosure of Contingent Liabilities on the date of Financial Statement and the reported amounts of revenues and expenses during the reporting period. Differences between actual results and estimates are recognized in the periods in which the results are known/ materialized.

3. Going Concern:

The Financial Statements are prepared on the assumptions that the company is a going concern and the management of the company do not intend to liquidate the company in foreseeable future from the signing of financial statements.

4. Property, Plant & Equipment:

Property, Plant & Equipment are stated at historical cost less accumulated depreciation. Depreciation is calculated as per NAS 16 over the useful life of the assets.

Expenditure for additions and improvements are capitalized, while costs on repair and maintenance are charged to operations as incurred.

When a property is damaged or lost, impairment claim, the maintenance is accounted for separately. Damaged or otherwise impaired assets are accounted for separately as

[Handwritten signatures and stamps are present at the bottom of the page, including a circular stamp and several signatures.]

per provisioned of NAS 16. Compensation from third parties which are of the nature of gain contingencies are recognized as profit in the Income Statement when actually recognized.

Estimated cost of sale is reduced from carrying amounts of assets when the same is held for disposal. No further depreciation is provided after the asset become idle whether on the ground of temporary suspension of use or poised for sale. Assets classified as held for sale are carried at the lower of carrying amount and Fair value less costs to sell and classified separately as 'Non-Current Assets held for Sale' and shown in the Statement of Financial Position accordingly.

The management has charged the depreciation on project fixed assets based on the legal right to own the assets as per the hydro electricity generation license to be expired on Mangsir 20, 2104 from the date of commercial operation dated Magh 22, 2073.

The depreciation of Structure Assets, Building, Plant and Machinery and Land and Land and Development is provided by using straight line method over the useful life for the uses of those project assets by the company. Office furniture, equipment, vehicles and other assets are depreciated using the diminishing balance method.

Particulars	Useful Life of Assets	Depreciation Rate
Structure Assets	30.76 Yrs	3.26 %
Building	30.76 Yrs	3.26 %
Plant and Machinery	30.76 Yrs	3.26 %
Land and Development	30.76 Yrs	3.26 %
Office Equipment and Furniture		25%
Vehicle		20%

Property, Plant & Equipment are stated at cost less depreciation.

5. Advances, Receivables & Deposits:

Advances, Receivables & Deposits are stated at book value.

6. Deferred Tax Assets and Liability:

Deferred taxes are accounted for income tax payable in future period in respect of deductible temporary differences. It carries forward of unused tax losses and the carry forward of unused tax credits.

Deferred tax assets and liabilities are recognized for the future tax consequences attributable to temporary differences between the financial statements carrying amounts of existing assets and

[Handwritten signatures and stamps are present at the bottom of the page, including a circular stamp and several signatures.]

Panchthar Power Company Ltd.
Schedules forming part of the Financial Statements
Financial Year 2076-77

liabilities and their respective tax bases. Deferred tax assets and liabilities are measured using tax rates expected to apply to taxable income in the years in which those temporary differences are expected to be recovered or settled based on the laws that have been enacted or subsequently enacted by the reporting date. Since the company enjoys tax holiday period up to 2082/83 and 50% tax concession for further 5 years period, deferred tax on the losses accumulated till the current financial year has not been recognized since the company expects to recover all the losses within its tax holiday period.

Further in the case of taxable temporary difference due to difference in carrying value of asset in the books of accounts and tax account, deferred tax has been recognized as difference would not be recovered within in tax holiday period.

C. Notes to Account

1. Income Tax

As per Section 11 clause (3 gha) of Income Tax Act, 2058, if any hydroelectricity company generates electricity commercially by Chaitra 2080 B.S then such company is entitled to 100% exemption from Income Tax liability for first 10 years and thereafter, for next 5 years, there is deduction of 50% Income Tax liability. Provision for tax has not been created as the company has been operating in loss in current year and also the company is within tax holiday period.

2. Deferred Tax Assets and Liabilities

Deferred Tax Assets and Liabilities have been computed in accordance with NAS 12, Income Taxes. In the case of accumulated loss (before adjustment of deferred tax expense) till the current financial year 2076/77 of NPR. 28,028,717.99 deferred tax has not been created as management has expected to set-off loss within tax holiday period (f/y 2082/83).

In the case of difference in carrying amount of fixed asset in the books of accounts and tax accounts, deferred tax has been recognized as the temporary difference in the case of fixed asset would not be recovered within tax holiday period. Further it has been identified that the deferred tax liability would be increased up to tax holiday period rather than recovery of the same. Thus the deferred tax has been created on the taxable temporary differences of the current financial year.

Particulars	Carrying Amount	Tax Base	Net Asset/ (Liabilities)
Fixed Assets (Costs w/DV)	2,326,436,493.51	2,042,088,675.92	(284,347,817.59)
Tax rate			30%
Total deferred tax liability			(85,304,345.28)

[Handwritten signatures and stamps are present below the table.]

Panchthar Power Company Ltd.
Schedules forming part of the Financial Statements
Financial Year 2076-77

(Contribution to social security fund as per Social Security Act, 2074 has not been deducted on the employees for the year 2076/77.)

Schedules 1 to 11 forms the integral part of Balance Sheet and Profit & Loss Account.

There is no any dispute claimed to/ by the company to the extent of the knowledge of the management.

All amounts are stated in Nepalese Rupees and has been rounded to nearest figure.

Previous year figures have been regrouped or rearranged wherever considered necessary to make them comparable with the current year figures.

[Handwritten signatures and stamps are present in this section.]

ABOUT THE PROJECT

Hewa Khola "A" Hydroelectric Project (HKAHEP) is a run-of-river scheme located at Phidim Municipality and Hilihang Rural Municipality (previously Yangnam, Nangin and Bharapa VDCs) of Panchthar district developed by Panchthar Power Company Limited.

The project site is about 710 km from Kathmandu and 165 km from Birtamode at Mahendra highway via Mechi highway. The project access road is earthen and gravel type and is 10 km from Hewa Bridge at Mechi highway. The developer constructed this 10 km road from Hewa bridge upto the headworks site for transportation and supplies.

The company signed PPA with NEA on Bhadra 30, 2068 for the capacity of 12 MW. Later, the installed capacity of the project was upgraded to 14.9 MW consequently followed by the first amendment on PPA on Falgun 17, 2069. As per the PPA and Connection Agreement, the delivery point of the project is 132 kV busbar of Phidim substation owned and managed by NEA.

The project comprises a diversion weir with undersluice, intake arrangements followed by approach canal, settling basin, headrace tunnel, surface penstock, powerhouse and tailrace canal. The generated power is evacuated through a 4 km long -132 kV transmission line and connected to Integrated Nepal Power System (INPS) at Nepal Electricity Authority's (NEA) Thapatar, Phidim substation in Panchthar district.

Construction of the project began in September 2012 and it was commissioned in February 2017.

PROJECT AREA

Hewa Khola is one of the tributaries of the Tamor River. The intake of the project lies at approximately 87°49'39" E longitude and 27° 11' 06" N latitude and at an elevation of 863.5 m amsl (the original river bed level). The powerhouse is located at approximately 87° 47' 22" E Longitude and 27° 10' 11" N Latitude and at an elevation of 655 m amsl. The catchment area of this project is 208 sq. km.

Figure : Project Area (Google Earth) The area lies in the Lesser Himalaya Zone, immediately south from the boundary with the Higher Himalaya. The predominant rock types are sandstone, siltstone and mudstone. The area is mostly covered with forest and cultivated land and tea gardens in the surrounding. The weathered depth of Siwalik rock provides necessary environment for forest and plants.

The project's headworks is situated on the Hewa Khola between the border of two Village Development Committees (VDCs) namely Yangnam and Bharapa of Panchthar District. Right bank of the diversion dam lies in Bharapa VDC and the left bank in Yangnam VDC. The powerhouse site is located at Nangin VDC approximately

2.75 km upstream from the confluence of the Hewa Khola and PHEME Khola in Nangin VDC of Panchthar district. The intake structures, gravel trap, approach canal, settling basin, headpond are compact and are located on the left bank of the Hewa Khola. Headrace tunnel, surge shaft area, penstock and powerhouse also lies at the left bank. The outdoor switchyard is located on the right bank of Hewa Khola in Nangin VDC. After generating power, the water is discharged back to the Hewa Khola approximately 40 m downstream of the powerhouse.

PROJECT LAYOUT

The headworks comprises of a boulder lined broad crested weir. The weir has crest length of 43.5 m, 8.83 m height (from the foundation level) and its crest elevation is 867.50 m amsl. The intake is constructed in combined arrangement together with undersluice, power-intake and trash-passage provisioned for floating debris. After intake, a short curved inlet canal conveys water into the gravel trap. Approach culvert joins the gravel trap with two separate settling basins having two chambers each. From the end of the settling basin, the water is conveyed to the headpond. A pressurized flow starts immediately after the outlet of the headpond where the inlet portal stands. The headrace tunnel is 3578.26 m long and the cross section is inverted Ushaped. An off set surge-shaft is located at chainage 3+930 m along the tunnel measured from the inlet portal and is exposed to the surface. The height of the surge-shaft is 46.24 m and the finish diameter are 6.0 m and 6.65 m for concrete lined section and shotcreted section respectively. A single surface penstock pipe of 694.46 (401+293.46) m length conveys the water further and bifurcates before feeding to two generating units accommodated in the semi surface powerhouse. About 40 m long tailrace culvert conveys the water from powerhouse and discharges into Hewa Khola back again.

The generated power is evacuated through a 132 kV single circuit transmission line of 4 km length. The transmission line connects to the national grid at the Phidim substation.

